



ALL DIMENSIONS ARE IN INCHES		A	N/A	ORIGINAL ISSUE	P.S.	21-JAN-2019																					
DRAWN BY: P. Summers	DATE: 1/23/2019	REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE																					
CHECKED BY:	DATE:	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES. MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.				PART BARCODE #: 11378																					
MIS CHECKED BY:	DATE:	<table border="1"> <tr><th colspan="3">INCHES</th></tr> <tr><td>BASIC DIMENSION</td><td>.XX</td><td>.XXX</td></tr> <tr><td>BELOW 4</td><td>±.01</td><td>±.005</td></tr> <tr><td>OVER 4</td><td>±.02</td><td>±.01</td></tr> </table>				INCHES			BASIC DIMENSION	.XX	.XXX	BELOW 4	±.01	±.005	OVER 4	±.02	±.01	219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0									
INCHES																											
BASIC DIMENSION	.XX	.XXX																									
BELOW 4	±.01	±.005																									
OVER 4	±.02	±.01																									
APVD BY:	DATE:	<table border="1"> <tr><th colspan="3">MILLIMETERS</th></tr> <tr><td>BASIC DIMENSION</td><td>X</td><td>.XX</td></tr> <tr><td>BELOW 101.6</td><td>±.25</td><td>±.10</td></tr> <tr><td>OVER 101.6</td><td>±.50</td><td>±.20</td></tr> </table>				MILLIMETERS			BASIC DIMENSION	X	.XX	BELOW 101.6	±.25	±.10	OVER 101.6	±.50	±.20	www.ozoptics.com									
MILLIMETERS																											
BASIC DIMENSION	X	.XX																									
BELOW 101.6	±.25	±.10																									
OVER 101.6	±.50	±.20																									
PROJECTION:		ANGULAR DIMENSIONS				DESC.:																					
CONFIDENTIAL THIS PRINT IS THE EXCLUSIVE PROPERTY OF OZ OPTICS AND MUST BE RETURNED UPON REQUEST. UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED.		<table border="1"> <tr><td>BASIC DIMENSION</td><td>X</td><td>X.X</td></tr> <tr><td>ALL ANGLES</td><td>±2.5°</td><td>±0.5°</td></tr> </table>				BASIC DIMENSION	X	X.X	ALL ANGLES	±2.5°	±0.5°	PART NO.:															
BASIC DIMENSION	X	X.X																									
ALL ANGLES	±2.5°	±0.5°																									
		SURFACE FINISH				Polarized Fiber Optic Stable Source																					
		<table border="1"> <tr><td>BASIC DIMENSION</td><td>X</td><td>X.X</td></tr> <tr><td>ALL ANGLES</td><td>±2.5°</td><td>±0.5°</td></tr> </table>				BASIC DIMENSION	X	X.X	ALL ANGLES	±2.5°	±0.5°	PART NO.:		REV													
BASIC DIMENSION	X	X.X																									
ALL ANGLES	±2.5°	±0.5°																									
		<table border="1"> <tr><td>MILLED</td><td>PROFILED</td><td>SIZE:</td><td>B</td><td>DWG.#</td><td>3000-0407</td><td>SHEET 1 OF 1</td><td>SCALE:</td><td>1:1</td></tr> <tr><td>125u</td><td>63u</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>				MILLED	PROFILED	SIZE:	B	DWG.#	3000-0407	SHEET 1 OF 1	SCALE:	1:1	125u	63u								PF0SS-02-3-1550-1-ER=40		A	
MILLED	PROFILED	SIZE:	B	DWG.#	3000-0407	SHEET 1 OF 1	SCALE:	1:1																			
125u	63u																										