


DIODE USED: PL 520B



ALL DIMENSIONS ARE IN INCHES		A	N/A	ORIGINAL ISSUE	P.S.	06-JAN-2020
REV.	ECR REF#	REV.	DESCRIPTION	ENG. BY	DATE	
DRAWN BY: P. Summers		DATE: 1/6/2020		UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES, MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.		
CHECKED BY:		DATE:		INCHES		
M/S CHECKED BY:		DATE:		BASIC DIMENSION .XX .XXX		
APVD BY:		DATE:		BELOW 4 ±.01 ±.005		
PROJECTION:		DATE:		OVER 4 ±.02 ±.01		
				MILLIMETERS		
				BASIC DIMENSION .X .XX		
				BELOW 101.6 ±.25 ±.10		
				OVER 101.6 ±.50 ±.20		
				ANGULAR DIMENSIONS		
				BASIC DIMENSION X X.X		
				ALL ANGLES ±2.5° ±0.5°		
				SURFACE FINISH		
				MILLED 125u		
				PROFILED 63u		
				DESC. LASER DIODE TO FIBER COUPLER		
				PART NO. LDPC-07-520-3.5/125-S-40-3A-1-1-30-50LD		
				REV. A		
				SIZE: B		
				DWG.# 4000-0280		
				SHEET 1 OF 1		
				SCALE: 1:1.5		
				PART BARCODE # 53486		
				219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0		
				www.ozoptics.com		