






DETAIL A  
SCALE 3 : 1



DIODE USED: HL6501MG



<b>ALL DIMENSIONS ARE IN INCHES</b>		A	N/A	ORIGINAL ISSUE	P.S.	06-JAN-2020	
DRAWN BY: P. Summers	DATE: 1/6/2020	REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE	
CHECKED BY:	DATE:	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES, MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.				PART BARCODE # <b>53490</b>	
M/S CHECKED BY:	DATE:	INCHES		219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0 <b>www.ozoptics.com</b>			
APVD BY:	DATE:	BASIC DIMENSION	DECIMAL PLACES	DESC. <b>LASER DIODE TO FIBER COUPLER</b>			
PROJECTION:		BELOW 4	.XX .XXX				
		OVER 4	±.01 ±.005 ±.02 ±.01				
		MILLIMETERS		PART NO. <b>LDPC-07-660-4/125-S-40-3A-1-1-30-35LD</b>			
		BASIC DIMENSION	DECIMAL PLACES	REV <b>A</b>			
		BELOW 101.6	.X .XX	SCALE: 1:1.5			
		OVER 101.6	±.25 ±.10 ±.50 ±.20	SHEET 1 OF 1			
		ANGULAR DIMENSIONS		SIZE: <b>B</b> DWG.# 4000-0284			
		BASIC DIMENSION	X .X.X				
		ALL ANGLES	±2.5° ±0.5°				
		SURFACE FINISH					
		MILLED	PROFILED				
		125u	63u				