



<b>ALL DIMENSIONS ARE IN INCHES</b>		A	N/A	ORIGINAL ISSUE	C.M.	26-AUG-2020	
DRAWN BY: P. Summers	DATE: 8/26/2020	REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE	
CHECKED BY:	DATE:	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES. MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.				PART BARCODE # <b>17091</b>	
M/S CHECKED BY:	DATE:	INCHES				219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0	
APVD BY:	DATE:	MILLIMETERS				www.ozoptics.com	
PROJECTION:		ANGULAR DIMENSIONS				DESC. <b>VARIABLE ATTENUATOR FOR MM FIBER</b>	
CONFIDENTIAL THIS PRINT IS THE EXCLUSIVE PROPERTY OF OZ OPTICS AND MUST BE RETURNED UPON REQUEST. UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED.		BASIC DIMENSION		DECIMAL PLACES		PART NO. <b>BB-500-11-850/1300-50/125-M-35-3S3S-3-1-ND</b>	
		BELOW 4		.XX .XXX		REV <b>A</b>	
		OVER 4		+.01 +.005 +.02 +.01		SIZE: <b>B</b>	
		BASIC DIMENSION		DECIMAL PLACES		DWG.# <b>4000-0454</b>	
		BELOW 101.6		.X .XX		SHEET 1 OF 1	
		OVER 101.6		±.25 ±.10 ±.50 ±.20		SCALE: 1:2	
		ALL ANGLES		X X.X ±2.5° ±0.5°			
		SURFACE FINISH		MILLED PROFILED			
				125u 63u			