



<b>ALL DIMENSIONS ARE IN INCHES</b>		A	N/A	ORIGINAL ISSUE	C.M.	26-AUG-2020	
DRAWN BY: P. Summers	DATE: 8/26/2020	REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE	
CHECKED BY:	DATE:	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES, MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.				PART BARCODE # <b>20740</b>	
M/S CHECKED BY:	DATE:	INCHES				219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0	
APVD BY:	DATE:	BASIC DIMENSION	DECIMAL PLACES		www.ozoptics.com		
PROJECTION:		BELOW 4	.XX	.XXX	DESC. <b>VARIABLE ATTENUATOR FOR MM FIBER</b>		
		OVER 4	±.01	±.005			
			±.02	±.01			
		MILLIMETERS				PART NO. <b>BB-500-11-1300/1550-62.5/125-M-35-3S3S-3-1-ND</b>	
		BASIC DIMENSION	DECIMAL PLACES		REV. <b>A</b>		
		BELOW 101.6	.X	.XX	SCALE: 1:2		
		OVER 101.6	±.25	±.10	SIZE: <b>B</b>		
		ANGULAR DIMENSIONS				DWG.# <b>4000-0459</b>	
		BASIC DIMENSION	X	X.X	SHEET 1 OF 1		
		ALL ANGLES	±2.5°	±0.5°	SCALE: 1:2		
CONFIDENTIAL THIS PRINT IS THE EXCLUSIVE PROPERTY OF OZ OPTICS AND MUST BE RETURNED UPON REQUEST. UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED.		SURFACE FINISH	MILLED	PROFILED	REV. <b>A</b>		
			125u	63u	SCALE: 1:2		