


DETAIL A
SCALE 1.5 : 1

- NOTES :**
- 1) ALL PORTS ARE CORNING SMF-28 SINGLEMODE FIBER
 - 2) PACKAGE SIZE MAY BE 70mm OR 54mm

ALL DIMENSIONS ARE IN INCHES		A	N/A	ORIGINAL ISSUE	C.M.	26-AUG-2020																
REV.	ECR REF#	REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE																
				UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN INCHES, MILLIMETERS ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.																		
DRAWN BY: P. Summers		DATE: 8/26/2020		 <p>219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0</p>	PART BARCODE #																	
CHECKED BY:		DATE:			32399																	
M/S CHECKED BY:		DATE:																				
APVD BY:		DATE:																				
PROJECTION:		<table border="1"> <thead> <tr> <th colspan="3">INCHES</th> </tr> <tr> <th>BASIC DIMENSION</th> <th colspan="2">DECIMAL PLACES</th> </tr> </thead> <tbody> <tr> <td>BELOW 4</td> <td>.XX</td> <td>.XXX</td> </tr> <tr> <td>OVER 4</td> <td>±.01</td> <td>±.005</td> </tr> <tr> <td></td> <td>±.02</td> <td>±.01</td> </tr> </tbody> </table>		INCHES			BASIC DIMENSION	DECIMAL PLACES		BELOW 4	.XX	.XXX	OVER 4	±.01	±.005		±.02	±.01	DESC: FUSED 2x2 SPLITTER FOR 1550nm, 90/10 SPLIT RATIO, WITH 1 METER LONG 900µm OD JACKETED 9/125 CORNING SMF-28 SINGLEMODE FIBERS TERMINATED WITH ANGLE FC/APC CONNECTORS ON EACH END		PART NO.	
INCHES																						
BASIC DIMENSION	DECIMAL PLACES																					
BELOW 4	.XX	.XXX																				
OVER 4	±.01	±.005																				
	±.02	±.01																				
		<table border="1"> <thead> <tr> <th colspan="3">MILLIMETERS</th> </tr> <tr> <th>BASIC DIMENSION</th> <th colspan="2">DECIMAL PLACES</th> </tr> </thead> <tbody> <tr> <td>BELOW 101.6</td> <td>.X</td> <td>.XX</td> </tr> <tr> <td>OVER 101.6</td> <td>±.25</td> <td>±.10</td> </tr> <tr> <td></td> <td>±.50</td> <td>±.20</td> </tr> </tbody> </table>		MILLIMETERS			BASIC DIMENSION	DECIMAL PLACES		BELOW 101.6	.X	.XX	OVER 101.6	±.25	±.10		±.50	±.20	FUSED-22-1550-9/125-90/10-3A3A3A3A-1-1		REV A	
MILLIMETERS																						
BASIC DIMENSION	DECIMAL PLACES																					
BELOW 101.6	.X	.XX																				
OVER 101.6	±.25	±.10																				
	±.50	±.20																				
		<table border="1"> <thead> <tr> <th colspan="3">ANGULAR DIMENSIONS</th> </tr> <tr> <th>BASIC DIMENSION</th> <th colspan="2">DECIMAL PLACES</th> </tr> </thead> <tbody> <tr> <td>ALL ANGLES</td> <td>X</td> <td>X.X</td> </tr> <tr> <td></td> <td>±2.5°</td> <td>±0.5°</td> </tr> </tbody> </table>		ANGULAR DIMENSIONS			BASIC DIMENSION	DECIMAL PLACES		ALL ANGLES	X	X.X		±2.5°	±0.5°	SIZE: B		DWG.# 4000-0528				
ANGULAR DIMENSIONS																						
BASIC DIMENSION	DECIMAL PLACES																					
ALL ANGLES	X	X.X																				
	±2.5°	±0.5°																				
		<table border="1"> <thead> <tr> <th colspan="2">SURFACE FINISH</th> </tr> <tr> <th>MILLED</th> <th>PROFILED</th> </tr> </thead> <tbody> <tr> <td>125u</td> <td>63u</td> </tr> </tbody> </table>		SURFACE FINISH		MILLED	PROFILED	125u	63u	SHEET 1 OF 1		SCALE: 1:2										
SURFACE FINISH																						
MILLED	PROFILED																					
125u	63u																					