



NOTE:

1) OZ STANDARD APPLICABLE TESTS ARE PERFORMED, DATA IS PROVIDED IN A CoC. CONTACT OZ FOR P/N DETAILS

2) ALL PATCHCORDS ARE PROVIDED WITH DUST CAPS (NOT SHOWN)

A		N/A		ORIGINAL ISSUE		C.M.		08-NOV-2021																																								
REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE																																												
DRAWN BY: P. Summers		DATE: 11/8/2021	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN MILLIMETERS, INCHES ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.		219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0		PART BARCODE #: 29484																																									
CHECKED BY:		DATE:	INCHES		OZ Optics www.ozoptics.com		DESC.: MULTIMODE FIBER PATCHCORD																																									
M/S CHECKED BY:		DATE:	MILLIMETERS		PART NO. MMJ-3S3S-IRVIS-62.5/125-3-10		REV A																																									
APVD BY:		DATE:	ANGULAR DIMENSIONS		SIZE: B		DWG.# 4000-0783		SCALE: 2:1																																							
PROJECTION:				SURFACE FINISH		SHEET 1 OF 1																																										
<p>CONFIDENTIAL THIS PRINT IS THE EXCLUSIVE PROPERTY OF OZ OPTICS AND MUST BE RETURNED UPON REQUEST. UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED.</p>		<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>BELOW 4</td> <td>.XX</td> <td>.XXX</td> </tr> <tr> <td>OVER 4</td> <td>±.01</td> <td>±.005</td> </tr> <tr> <td></td> <td>±.02</td> <td>±.01</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		BELOW 4	.XX	.XXX	OVER 4	±.01	±.005		±.02	±.01	<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>BELOW 101.6</td> <td>.X</td> <td>.XX</td> </tr> <tr> <td>OVER 101.6</td> <td>±.25</td> <td>±.10</td> </tr> <tr> <td></td> <td>±.50</td> <td>±.20</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		BELOW 101.6	.X	.XX	OVER 101.6	±.25	±.10		±.50	±.20	<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>ALL ANGLES</td> <td>X</td> <td>X.X</td> </tr> <tr> <td></td> <td>±2.5°</td> <td>±0.5°</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		ALL ANGLES	X	X.X		±2.5°	±0.5°	<table border="1"> <tr> <th>MILLED</th> <th>PROFILED</th> </tr> <tr> <td>125u</td> <td>63u</td> </tr> </table>		MILLED	PROFILED	125u	63u		
BASIC DIMENSION	DECIMAL PLACES																																															
BELOW 4	.XX	.XXX																																														
OVER 4	±.01	±.005																																														
	±.02	±.01																																														
BASIC DIMENSION	DECIMAL PLACES																																															
BELOW 101.6	.X	.XX																																														
OVER 101.6	±.25	±.10																																														
	±.50	±.20																																														
BASIC DIMENSION	DECIMAL PLACES																																															
ALL ANGLES	X	X.X																																														
	±2.5°	±0.5°																																														
MILLED	PROFILED																																															
125u	63u																																															