



NOTE:
 1) OZ STANDARD APPLICABLE TESTS ARE PERFORMED, DATA IS PROVIDED IN A CoC. CONTACT OZ FOR P/N DETAILS
 2) ALL PATCHCORDS ARE PROVIDED WITH DUST CAPS (NOT SHOWN)

A		N/A		ORIGINAL ISSUE		C.M.		10-NOV-2021																																						
REV.	ECR REF#	DESCRIPTION	ENG. BY	DATE																																										
DRAWN BY: P. Summers		DATE: 11/10/2021	UNLESS NOTED OTHERWISE, DIMENSIONS ARE IN MILLIMETERS, INCHES ARE IN SQUARE BRACKETS, AND TOLERANCES APPLY AS SHOWN BELOW.		 oz Optics www.ozoptics.com		219 WESTBROOK ROAD OTTAWA, ONTARIO CANADA K0A 1L0		PART BARCODE #: 7753																																					
CHECKED BY:		DATE:	INCHES		DESC. SINGLEMODE FIBER PATCHCORD																																									
M/S CHECKED BY:		DATE:	MILLIMETERS		PART NO. SMJ-3S3S-1300/1550-9/125-3-2		REV A																																							
APVD BY:		DATE:	ANGULAR DIMENSIONS		SIZE: B		DWG.# 4000-0883		SHEET 1 OF 1																																					
PROJECTION:				SURFACE FINISH		SCALE: 2:1																																								
CONFIDENTIAL THIS PRINT IS THE EXCLUSIVE PROPERTY OF OZ OPTICS AND MUST BE RETURNED UPON REQUEST. UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED.		<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>BELOW 4</td> <td>.XX</td> <td>.XXX</td> </tr> <tr> <td>OVER 4</td> <td>±.01</td> <td>±.005</td> </tr> <tr> <td></td> <td>±.02</td> <td>±.01</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		BELOW 4	.XX	.XXX	OVER 4	±.01	±.005		±.02	±.01	<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>BELOW 101.6</td> <td>.X</td> <td>.XX</td> </tr> <tr> <td>OVER 101.6</td> <td>±.25</td> <td>±.10</td> </tr> <tr> <td></td> <td>±.50</td> <td>±.20</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		BELOW 101.6	.X	.XX	OVER 101.6	±.25	±.10		±.50	±.20	<table border="1"> <tr> <th>BASIC DIMENSION</th> <th>DECIMAL PLACES</th> <th></th> </tr> <tr> <td>ALL ANGLES</td> <td>X</td> <td>X.X</td> </tr> <tr> <td></td> <td>±2.5°</td> <td>±0.5°</td> </tr> </table>		BASIC DIMENSION	DECIMAL PLACES		ALL ANGLES	X	X.X		±2.5°	±0.5°	<table border="1"> <tr> <th>MILLED</th> <th>PROFILED</th> </tr> <tr> <td>125u</td> <td>63u</td> </tr> </table>		MILLED	PROFILED	125u	63u
BASIC DIMENSION	DECIMAL PLACES																																													
BELOW 4	.XX	.XXX																																												
OVER 4	±.01	±.005																																												
	±.02	±.01																																												
BASIC DIMENSION	DECIMAL PLACES																																													
BELOW 101.6	.X	.XX																																												
OVER 101.6	±.25	±.10																																												
	±.50	±.20																																												
BASIC DIMENSION	DECIMAL PLACES																																													
ALL ANGLES	X	X.X																																												
	±2.5°	±0.5°																																												
MILLED	PROFILED																																													
125u	63u																																													